



Jetcol[®] HTR3100 SUBLIMATION TRANSFER PAPER

Jetcol® HTR3100 is known worldwide as the all-round sublimation paper. Jetcol® HTR3100 paper has a weight of 90 gsm, and is mainly used on the traditional plotters for producing sports garments with an ink quantity of up to 300%.







Premium quality



Cost efficient solution



Your sustainable partner

Jetcol[®] HTR3100 SPECIFICATION



GENERAL

- The outside of the roll is the coated side / printing side.
- Suitable for industrial and plotter printers using water-based sublimation inks.

RECOMMENDED PRINT ROOM SETTINGS

- Ideal printing room temperature is 23°C and 50% relative humidity.
- Maintaining ideal printing room climatic conditions for good dimensional stability, flatness of paper and faster ink drying.

RECOMMENDED TRANSFER SETTINGS



Temperature: 195-205°C Time: 25-40 seconds

Ideal settings might vary depending on the process, print environment and textiles.

AVAILABILITY

ТҮРЕ	WID	WIDTH		LENGTH		DIAMETER	
	MM	INCH	М	FT	MM	INCH	
plotter	1118	44	120	393	145	5,5	
plotter	1118	44	140	459	165	6,5	
plotter	1320	52	140	459	165	6,5	
plotter	1620	64	140	459	165	6,5	
jumbo	1118	44	9000	29527	1110	44	

Standard Core is 76 mm / 3 inch.

For plotter rolls 1118 mm / 44 inch we also have Core 50 mm / 2 inch.

Other sizes or special dimensions are available on request. Anyone interested can contact the licensed agent or Neenah Coldenhove sales representative.

SHELF LIFE	This product is covered with a guarantee of 1 year after receiving the product under above mentioned storage and handling conditions. Preserve or note down the lot numbers on the roll. In case of quality issues refer to those numbers.
STORAGE AND	 Store material in original packaging only. Avoid exposure to direct sunlight and extreme weather conditions. Place the roll to be printed in printing room at least 24 hours prior to printing.
HANDLING	Handle the rolls with care while transporting within your premises. Damaged rolls may not be usable. For heavier paper rolls, mainly jumbo, we suggest not to leave them hanging on the printer over a prolonged period, this may in some cases bend the core bar.









Scan the QR code for instructional video or go to the link www.neenahcoldenhove.com

IMPORTANT: Printers and heat presses vary in accuracy. We have tested our products with numerous printers and pressed with excellent results. Nonetheless, we recommend that you test the paper in your equipment to ensure the best results. Neenah Coldenhove's maximum obligation shall be to replace any paper that has proven to be defective.





We invest in saving and re-using energy. Currently all energy required by the factory comes out of energy released during the production of paper. Residual heat is used for heating offices and the swimming pool in Eerbeek.



All our papers contain high quality fibers and can be recycled up to 7 times.

SUSTAINABILITY

Je tc bl[®]



Thanks to our inhouse water recovery management we are able to re-use 95% of the water we use for paper production.

