

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name IP Adhesive Remover

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Cleaning agent / Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Spandex Group

Aegertweg 4

CH-8305 Dietlikon

www.spandex.com

Informing department: Product safety department

1.4 Emergency telephone number:

Medical Emergency information in case of poisoning:

Poison Information Center Mainz - 24h - Phone: +49 (0) 6131 19240 (advisory service in German or English language)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

— GB —

Trade name **IP Adhesive Remover**

(Contd. of page 1)

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions (aqueous solution).

Dangerous components:

CAS: 1569-01-3 EINECS: 216-372-4 Reg.nr.: 01-2119474443-37	1-propoxypropan-2-ol Flam. Liq. 3, H226; Eye Irrit. 2, H319	25-50%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	10-25%
CAS: 68439-46-3 Polymer	Alcohols C9-11, ethoxylated ($\geq 2,5 - \leq 4$ EO) Eye Irrit. 2, H319	2.5-10%
CAS: 1554325-20-0 Polymer	Quaternary C12-C14 alkylaminethoxylate, chloride Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315	<2.5%
Regulation (EC) No 648/2004 on detergents / Labelling for contents		
non-ionic surfactants, cationic surfactants, perfumes ((R)-p-mentha-1,8-diene, DIPENTENE, GERANIOL, CITRAL, alpha-Hexylcinnamaldehyde, LINALOOL)		<5%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice: Instantly remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Wash skin with water using soap if available. If persistent irritation occurs, obtain medical attention.

After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

— GB —
(Contd. on page 3)

Trade name *IP Adhesive Remover*

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents Water with a full water jet.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapours

Can be released in case of fire:

carbon oxides (CO_x)

organic decomposition products

5.3 Advice for firefighters

Protective equipment:

See section 8.

Wear full protective suit with self-contained breathing apparatus.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Endangered containers in the surrounding area should be cooled with a water-hose.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment and keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Dilute with much water.

If large amounts are released, the authorities must be informed.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep containers tightly sealed.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Pay attention to general rules of internal fire prevention.

7.2 Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed. Store in cool, dry conditions.

Requirements to be met by storerooms and containers:

Observe official regulations on storage and handling of water hazardous substances

Information about storage in one common storage facility:

Pay attention to regulations / technical guidelines on mixed storage of flammable liquids.

(Contd. on page 4)

GB

Trade name *IP Adhesive Remover*

(Contd. of page 3)

Further information about storage conditions: *None.***7.3 Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems: *No further data; see item 7.***8.1 Control parameters****Components with critical values that require monitoring at the workplace:****CAS:** *112-34-5 2-(2-butoxyethoxy)ethanol (10-25%)***WEL** *Short-term value: 101.2 mg/m³, 15 ppm**Long-term value: 67.5 mg/m³, 10 ppm***Additional information:** *The lists that were valid during the compilation were used as basis.***8.2 Exposure controls****Personal protective equipment****General protective and hygienic measures***Keep away from food, beverages and fodder.**Instantly remove any soiled and impregnated garments.**Wash hands during breaks and at the end of the work.**Avoid contact with the eyes and skin.**Gases, fumes and aerosols should not be inhaled.***Breathing equipment:** *Not necessary if room is well-ventilated.***Protection of hands:***Protective gloves.**The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation***Material of gloves***The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***Eye protection:** *Tightly sealed safety glasses.***Body protection:***Standard protective clothing. Chemical resistant safety-shoes or boots. If skin contact is possible, wear impenetrable protective clothing against this solvent.*

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information****Appearance:****Form:***Fluid*

(Contd. on page 5)

— GB —

Trade name *IP Adhesive Remover*

(Contd. of page 4)

Colour:	Colourless
Smell:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	ca. 10
Change in condition	
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	100 °C
Flash point:	> 60 °C
Inflammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not potentially explosive
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C	0.974 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products:

Thermal decomposition can produce a variety of compounds, the precise nature of which will depend on the decomposition conditions.

(Contd. on page 6)

—GB—

Trade name IP Adhesive Remover

(Contd. of page 5)

Formation of carbon monoxide and carbon dioxide in case of fire.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50	27,778 mg/kg
-----------	--------------

Primary irritant effect:

Skin corrosion/irritation Prolonged skin contact may cause irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.

(Contd. on page 7)

GB

Trade name IP Adhesive Remover

(Contd. of page 6)

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

Uncleaned packagings: Disposal must be made according to official regulations.

Recommendation:

After complete emptying and cleaning, send to be reconditioned or recycled.

Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning.

Care should be taken that no other materials get into the packaging.

Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN-Number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

*** SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

TSCA (Toxic Substances Control Act)

All ingredients are listed.

(Contd. on page 8)

GB

Trade name IP Adhesive Remover

(Contd. of page 7)

Canadian Domestic Substances List (DSL)

All ingredients are listed.

Philippines Inventory of Chemicals and Chemical Substances

All ingredients are listed.

Chinese Chemical Inventory of Existing Chemical Substances

All ingredients are listed.

Australian Inventory of Chemical Substances

All ingredients are listed.

Korean Existing Chemical Inventory

CAS: 1569-01-3	1-propoxypropan-2-ol	KE-29773
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	KE-10466
CAS: 102-71-6	Triethanolamine	KE-25940
CAS: 68439-46-3	Alcohols C9-11, ethoxylated ($\geq 2,5$ - ≤ 4 EO)	KE-13383

New Zealand Inventory of Chemicals

All ingredients are listed.

Existing Chemical Substances (Japan)

CAS: 1569-01-3	1-propoxypropan-2-ol	7-97
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	7-97
CAS: 102-71-6	Triethanolamine	2-308
CAS: 68439-46-3	Alcohols C9-11, ethoxylated ($\geq 2,5$ - ≤ 4 EO)	Ja

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55

National regulations

Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Technical instructions (air):

Class	Share in %
NK	50-100

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3.

These phrases refer to the constituents. The labelling for this product is stated in section 2.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 9)

GB

Trade name IP Adhesive Remover

(Contd. of page 8)

Department issuing data specification sheet: see item 1: Informing department

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

LEV: Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC and RCR= Estimated Exposition/DNEL)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

*** Data compared to the previous version altered.**

— GB —