
2021 ASLAN

Self-adhesive films for sign making & digital printing





ASLAN – where quality meets specialities

Since 1950 leading manufacturer ASLAN Selbstklebefolien GmbH has been successfully developing, producing and distributing self-adhesive films for a wide variety of applications. As a specialist in self-adhesive films, ASLAN offers innovative and high-quality branded products with the quality assurance of being "Made in Germany".

Our comprehensive product range offers self-adhesive films for various markets and applications such as graphic applications (sign making and digital printing), painting and lacquering, sandblasting, architecture and interior design, office and organisation, the production of lamp shades, book protection and repair, hobby and crafts, medical technology, industrial applications and contract coating. The applications for ASLAN self-adhesive films are as varied as the needs of the markets they serve. ASLAN focuses on developing customised solutions rather than producing high-volume products for mass markets. Individual customer needs and market requirements continuously generate new ideas which ASLAN turns into high-quality self-adhesive films. Stringent quality standards and "Expertise in self-adhesive films" form a solid basis for the future growth of ASLAN.

A wide portfolio of branded products and custom self-adhesive solutions

Today the ASLAN brand covers a wide portfolio of self-adhesive films for an extremely broad variety of applications:

- Sign making & digital printing
- Painting & lacquering
- Sandblasting
- Architecture & interior design
- Lamp shades
- Books, office & education
- Hobby & crafts
- Industrial applications
- Medical technology

Our product range is as varied as these applications. Eco-friendly solutions for a growing market have their place alongside customised products for highly specific applications:

- Whiteboard & blackboard films
- Glass decoration films
- Metal effect films
- Coloured films
- Digital printing & laminating films
- Stencil films
- Double-sided self-adhesive films
- Mounting films & tapes
- Book protection films
- Lamp shade films
- Various films for special applications

In addition to a comprehensive range of standard products, ASLAN also offers fully customised and environmentally friendly adhesive coatings to its customers.

Tailor-made solutions are developed in dialogue with the customer. Customers can choose from a variety of materials, liners and adhesives or have their own materials coated – with the adhesive properties they specify or in consultation with the experts at ASLAN.

"Where quality meets specialities." To keep it short and simple: This slogan stands for everything ASLAN represents, developing and manufacturing high-quality self-adhesive films for 70 years now. Our unique niche products are being distributed worldwide and are being used where one needs more than ordinary. We are proud of these values. Our employees at ASLAN work every day to offer the best products in the market, combined with a high level of customer service orientation. But we can do more than that – challenge us.

Martin Geveke Managing Director



Sign making &

Blackboard & whiteboard films



Blackboard films	
Ferrous films for placing magnets	8
Magnetic film and ferrous papers	9
Whiteboard films	10
Whiteboard glass decoration film for dry application	10
Rear projection films	

Glass decoration films



Glass decoration films for cutting plotters and easy dry application	
For digital printing	
Transparent dichroic film with two effects	
Glass decoration films for cutting plotters and universal application	

Metal effect & special effect films



Printable metal effect films	19
Doming metal effect film	19
Metal effect films for cutting plotters	
Mirror effect film in gold and silver	
Classy, matt metal effect films in champagne and platinum	
Opaque dichroic film with four effects	

Coloured films



Opaque coloured films Transparent coloured films Fluorescent film

Digital printing & laminating films

Digital printing films for walls and facades	27
Digital printing films for floor graphics	28
Digital printing films for applications on glass	30
Universal digital printing films for long-term applications	32
Floor graphics and anti-graffiti laminates	33

PVC free films

$> \mathcal{M}^{\otimes r}$	~~~~
577	dill -
Seal 1	
all	

PVC free blackboard film	34
PVC free whiteboard film for easy dry application	34
PVC free ferrous films	34
PVC free glass decoration films	35
PVC free lamination films	35
PVC free metal effect and special effect films	35

digital printing

Stencil films



For painting & lacquering For sandblasting works For embroidering

Special films for light advertising



Diffuser film Opaque blockout films for light boxes

Double-sided self-adhesive films



Double-sided self-adhesive films

41

Application films and papers

7	Mounting film Paper tapes Filmic tapes	

Tools

COLUMN TO A DECIMAL OF A DECIMA	

At one glance



Overview

45

Memo board films

ASLAN's self-adhesive blackboard, whiteboard and ferrous films can be used to turn smooth surfaces into re-writable, dry-wipeable and even magneticallyreceptive surfaces for communication.

To do this, the high-quality films are simply affixed to walls, cupboards or doors. Thanks to the virtually endless variety of options for combining ASLAN films, you can give your creativity free rein and design your own customised memoboard. Coloured boards or whiteboards can be created just as easily as memoboards with a logo or design printed on them.

Create tailor-made communication boards for offices, seminar rooms, schools, kindergartens, restaurants or hotels!

Re-writable glass decoration film

fatte with caramet and re

latte with lavender and honey

YGIRL

SEASONAL ask your barista

Magnetically-receptive ferrous fil ms

0.03



Our high-quality self-adhesive blackboard films are the ideal alternative to heavy chalkboards or blackboard paint. These films can be applied to all smooth surfaces quickly and cleanly and removed again just as easily. Writing with chalk or liquid chalk pens (see table) does not leave any ghosting or shadows – this makes them the ideal medium for frequently changing messages.

Unique: In addition to designs in traditional black, a clear chalkboard film is also available offering you complete design freedom. Simply laminate over a print, coloured film or a flat piece of furniture and your custom-designed chalkboard is ready to go!

Blackboard films	Printability	Self-adhesive film	
Black, for chalk and liquid chalk	UV curable inks	PremiumBlackboard ASLAN BB 910	100 × 102
PVC free, black, for chalk and liquid chalk	UV curable inks	Blackboard PP Dryapply ASLAN BBL 920	PVC free Dry
Black	UV curable inks and screen printing	Blackboard ASLAN C 61	
Black, especially scratch-resistant	UV curable inks and screen printing	Blackboard AntiScratch ASLAN CR 62	
Clear blackboard film for writings with chalk	UV curable inks and screen printing	ClearChalk ASLAN CR 63	

Clear blackboard film for writings with chalk and ASLAN C-pen (liquid chalk pen) le inks and screen printing ClearChalk ASL







Magnetically-receptive ferrous films

Magnetically-receptive, self-adhesive ferrous films, anthracite coloured

This self-adhesive ferrous film makes any smooth surface suitable for placing magnets. It can be cut easily into any imaginable shape or size and can be combined just as easily with other self-adhesive ASLAN films to create a multi-functional whiteboard, blackboard or coloured memoboard.



Printable, magnetically-receptive, self-adhesive ferrous films in white

With this white, matt ferrous film containing iron, any surface becomes suitable for placing magnets. It is digitally printable, allowing you to create custom-designed magnet boards. In combination with our clear chalkboard and whiteboard films it can additionally be written on with chalk or whiteboard markers.

FerroSoft Print ASLAN FF 480

Self-adhesive ferrous film with high-quality whiteboard finish

These films are offering a ready-made 2-in-1-solution: They combine the magnetically-receptive function of our flexible ASLAN FerroSoft films with the easy write and wipe function of our whiteboard films. Thus, you can create a high-quality, multi-functional communications surface in just a single pass.

FerroSoft Whiteboard ASLAN FF 550 FerroSoft Whiteboard matt ASLAN FF 490

Self-adhesive, magnetically-receptive ferrous film with high-quality blackboard finish

The FerroSoft Blackboard ASLAN FF 540 combines the magnet receptivity of our FerroSoft range with the ideal writability and cleaning of our Premium Blackboard. It can be written by using chalk and liquid chalk. Applied to a smooth surface a high quality, magnetically-receptive and scratch-resistant blackboard is done.

FerroSoft Blackboard ASLAN FF 540

Magnetically-receptive ferrous films	tically-receptive ferrous films Printability		Self-adhesive film		
Anthracite, matt, very flexible		FerroSoft ASLAN FF 410	PVC free DIN 4102		
White, matt, very flexible ferrous film	Solvent, eco-solvent, latex, UV curable inks as well as with HP Latex 500 Series		entified for P Laters Inks		
White, matt, flexible ferrous film with whiteboard finish, suitable for projections		FerroSoft Whiteboard matt ASLAN F	F 490		
White, glossy flexible ferrous film with whiteboard finish		FerroSoft Whiteboard ASLAN FF 550	PVC free		
Black, flexible ferrous film with blackboard finish	UV curable inks	FerroSoft Blackboard ASLAN FF 540			

Up to three layers

of ASLAN ferrous papers will mount safely to ASLAN's magnetic film

Flexible, self-adhesive magnetic film

ASLAN's first magnetic self-adhesive film opens up new opportunities for creating retail spaces, points of purchase/sale or exhibition stands. Applied to flat and smooth surfaces, MagneTack ASLAN MT 400 is the perfect area to place ASLAN's printable ferrous papers for your short-term marketing messages or special offers. Due to the film's high barium and strontium ferrite level, up to three layers of ASLAN ferrous papers can mount safely to the surface without curling or sliding off. Furthermore, the film is easy to apply since its flexibility and thickness of 400 µm allow easy handling.

New MagneTack ASLAN MT 400 🕵 📾

Printable ferrous papers

Ferrous papers are foolproof and bubble-free to apply to the magnetic film MagneTack ASLAN MT 400. The white surface is printable with solvent, eco-solvent, latex and UV curable inks. Applied and repositioned within seconds, ferrous papers are the best way to present your short-term marketing message or special offers to your customers. Up to three layers of ferrous papers will mount safely to ASLAN's magnetic film and they are fast and easy to change.

White, printable PET ferrous paper New PET FerroPaper ASLAN FP 180

White, printable PP ferrous paper New PP FerroPaper ASLAN FP 260



Glossy whiteboard films

Especially scratch-resistant and high-quality selfadhesive films for writing with whiteboard markers

These films can be applied onto any smooth surface, such as doors or walls. Writing with whiteboard markers can be easily wiped off dryly using a soft cloth. Even frequent rewriting causes no ghosting or shadows.

Available versions:

Glossy whiteboard film in white Whiteboard ASLAN WB 995

Glossy whiteboard film, clear **Clearboard ASLAN CB 90**



DVC Free

Glossy whiteboard film in 6 colours* WhiteboardColour ASLAN WBC 996

*Additional colours are available on request.

Glossy whiteboard films for dry application

High-quality self-adhesive whiteboard films with air release channels for a bubble-free dry application onto large areas

These films are extremely scratch-resistant and can be written on any number of times with whiteboard markers – with no trace of ghosting or shadows.

Available versions:

Glossy whiteboard film for dry application in white Whiteboard Dryapply ASLAN WBL 995

Glossy, PVC free whiteboard film for dry application in white

Whiteboard PP Dryapply ASLAN WBL 998



le -	11 14	100° 70.	and the second	
Colour	Glossy	Matt	Product	
White		٠	WhiteboardMatt ASLAN WB 975	
White	•		Whiteboard ASLAN WB 995	
White	•		Whiteboard Dryapply ASLAN WBL 995	
White	•		Whiteboard PP Dryapply ASLAN WBL 998	
Clear	•		Clearboard ASLAN CB 90	
Clear		•	ClearboardMatt ASLAN CB 75	
Sandblasted look		•	EtchedBoard Dryapply ASLAN EBL 300	
Orange, silver, green, blue, pink, yellow	•		WhiteboardColour ASLAN WBC 996 Additional colours are available on request.	

Matt whiteboard films

Particularly high-quality self-adhesive whiteboard films – suitable for projections

These self-adhesive films can be applied quickly and easily onto all smooth surfaces, flexibly creating additional media projection options. Writing with whiteboard markers can be easily wiped off dryly using a microfibre cloth, without leaving any ghosting and shadows. A whiteboard and a projection surface in one!

Available versions:

Matt whiteboard film in white WhiteboardMatt ASLAN WB 975

Matt whiteboard film, clear ClearboardMatt ASLAN CB 75





Create presentation areas by turning just about any transparent surface into a whiteboard! With the ASLAN glass decoration film you can create classy, decorative privacy screens with a whiteboard function – in any desired shape and size. Thanks to the ASLAN Dryapply technology, the film can be dry-applied easily and can be written on with whiteboard markers any number of times without leaving shadows or ghosting.

Whiteboard glass decoration film in etched glass look

EtchedBoard Dryapply ASLAN EBL 300





Self-adhesive rear projection films in two different versions

The ASLAN rear projection films are the ideal medium for striking, high-impact presentations of videos, live broadcasts and images. Applied onto a rigid, clear surface, they create a projection surface that can be operated with standard projectors as well as interactive projection systems.


Both, the translucent as well as the clear variant, are characterised by their uniform reproduction quality, visibility even in bright environments and particular high colour brilliance with applications behind glass. The clear version provides a clear view: Backgrounds, for instance objects exhibited behind a shop window, can be incorporated creatively into multimedia design concepts. When in use with a projector, the film provides superb rendition.


Available versions

Translucent rear projection film in white **RearProjection ASLAN RP 35**


Clear rear projection film
RearProjection transparent ASLAN RP 36







Glass decoration films






Cutting films Digital printing films Dry application



ASLAN glass decoration films

ASLAN's comprehensive range of self-adhesive glass decoration films offers a unique breadth of effects and colours for the graphics market, allowing striking and high-quality decoration both indoors and outdoors. Thanks to their ease of use, these films can be easily applied in any room. ASLAN Dryapply Technology makes application to large surfaces especially user-friendly (see page 14).


Lending glass surfaces a special look and structure, these self-adhesive films can be digitally printed and/or plotted. For safe use in public areas, many glass decoration films from ASLAN are fire safety classified according to Euroclass EN 13501-1.



Glass decoration films for easy dry application

The unique ASLAN Dryapply Technology makes application particularly quick and easy. A special structure with fine air release channels guarantees bubble-free application without using water. This structure, combined with a special adhesive, allows easy repositioning during application without risk of damage (stress whitening). After application, the adhesive wets out and the adhesive strength increases, making the film ideal even for long-term applications.

	s for large surfaces and plotted lettering allow a quick, easy and bubble-free dry application		Dry apply
Classified according to Euro			, , , , , , , , , , , , , , , , , , ,
Etched glass effect	7 years outdoor durability, PVC film, polymeric	Etched Dryapply ASLAN EL 300	Euro
Silver etched glass effect	7 years outdoor durability, PVC film, polymeric	SilverEtched Dryapply ASLAN EL 302	
Dusted effect	7 years outdoor durability, PVC film, polymeric	Dusted Dryapply ASLAN EL 200	Euro
Milk glass effect	7 years outdoor durability, PVC film, polymeric	Milky Dryapply ASLAN EL 210	(Euro) Class
Dusted effect	PVC free, especially easy to remove	EcoEtched EasyRemove ASLAN ER 151	PVC free Easy remove
	ation films allow a quick, easy and bubble-free dry application solvent, latex, UV curable inks and screen printing		Dry apply
Etched glass effect	7 years outdoor durability, PVC film, polymeric	PrintEtched Dryapply ASLAN DFL 300	Certified for HP Lates Inks
Silver etched glass effect	7 years outdoor durability, PVC film, polymeric	PrintSilverEtched Dryapply ASLAN DFL 302	Certified for HP Lates Inks
Dusted effect	7 years outdoor durability, PVC film, polymeric	PrintDusted Dryapply ASLAN DFL 200	
Milk glass effect	7 years outdoor durability, PVC film, polymeric	PrintMilky Dryapply ASLAN DFL 210	
Clear	7 years outdoor durability, PVC film, polymeric	WindowClear ASLAN DFP 18	



LIKE THE COLOURS OF SOAP BUBBLES

Upgrade the look of your glass or other flat surfaces with ASLAN's self-adhesive dichroic films. Two transparent dyed films with changing colours depending on your viewing angle and light conditions.

Usable for plotts or full surface applications, indoors and outdoors, on flat surfaces such as shop windows, acrylic, POP/POS displays and more. Create fluent colour effects using the transparent ColourShift ASLAN SE 70 Solar or Nebula.

Transparent dichroic film with two effects

Colour shifting film

NEW

2 years outdoor durability, PET film with special coating **ColourShift ASLAN SE 70** Solar | **ColourShift ASLAN SE 70** Nebula



PVC free





Glass decoration films for application on large areas and cutting letters

Our self-adhesive glass decoration films come in a whole range of effects and colours, giving any glass surface a high-quality look and creating striking effects. Shop windows, glass doors, mirrors and all other transparent surfaces can be enhanced simply and effectively. These universal glass decoration films can be applied both wet and dry.

Etched glass effect	7 years outdoor durability, PVC film, polymeric	Etched ASLAN E 300
Silver etched glass effect	7 years outdoor durability, PVC film, polymeric	SilverEtched ASLAN E 302
Dusted effect	7 years outdoor durability, PVC film, polymeric	Dusted ASLAN E 200
Milk glass effect	7 years outdoor durability, PVC film, polymeric	Milky ASLAN E 210

Champagne for everyone! Classy matt prints on Champagne and Platinum

MetalLux Print ASLAN SEP 50

The MetalLux Print ASLAN SEP 50 works with all major ink systems and thus creates opportunities for eye-catching applications in shops, at the point of sale/purchase or in interior design.

Metal effect and special effect films











Metal effect and special effect films

Self-adhesive metal effect films are ideal for creating premium signs and letterings. A large variety of colours and effects, as well as a choice between printable and plottable films, offers an almost infinite number of creative applications.











EROM THE EARTH

ColourShift ASLAN SE 71 Aurora (pink to light blue) Alpha (magenta to yellow) Andromeda (copper to green) Plasma (dark blue to green)

Part I have

URFUL COLOGNE

WERESTAL

The opaque films are mainly suitable for indoor applications and are first choice for eye-catching plotted claims, slogans, wall tattoos, logos etc. Changing viewing angles or lighting create a stunning fluent colour change.

Coloured films



Opaque coloured films	Durability	Features	Self-adhesive film
Premium coloured film	7 years	Highly glossy polymeric coloured film, highly flexible, 70 μm	PremiumColour ASLAN C 118 Soft
Universal coloured film	3-5 years	In glossy and matt colours, 70 μm	EcoColour ASLAN C 114
Fluorescent film			
Fluorescent film	9-12 months	Especially bright colours, available in 2 colours: red and yellow, 100 μm	FluoColour ASLAN CL 70
Transparent coloured film			
Coloured film for decorative designs on glass, printable	3-5 years	Brilliant colour effect, ideal for glass surfaces, 80 µm	GlassColour ASLAN CT 113

PremiumColour ASLAN C 118 Soft

The opaque premium film for long-term advertising

This polymeric, self-adhesive PVC film in glossy and matt colours is specially designed for high-quality lettering and logo plotts. It can be applied both to smooth and curved surfaces and is ideal for the long-term design of cars, public transport vehicles, glass surfaces and outdoor signs.

Product advantages

- Highly flexible plotter film
- Excellent adaptation to contours

- Easy and fast weeding
- High opacity
- Solvent-free adhesive

alossv

118195

11818S

11851S

118575

118555

118525


118135

11824S

11815S

matt


11880S




EcoColour ASLAN C 114

The opaque coloured film for short- to medium-term applications

This monomeric, self-adhesive PVC film is available in 31 glossy and 23 matt colours. Designed for lettering, logo plotts and wall decals, it is ideal for the short- to medium-term design of cars, public transport vehicles, glass surfaces, signs and trade fair stands.








GlassColour ASLAN CT 113

The transparent coloured film for creative glass decoration

These transparent coloured films allow stunning effects on glass surfaces, which are a mainstay of modern architecture and interior design. Colourful and creatively designed glass facades, conference rooms or shop windows can be easily realised. New and improved adhesive technology further enhances the films' quality: A high level of transparency guarantees a clear view through applied films. For even more effects, the film is printable using solvent, eco-solvent, latex or UV curable inks.





FluoColour ASLAN CL 70

The fluorescent film for highly visible advertising

Self-adhesive fluorescent film, available in 2 colours, for eye-catching advertising or extremely luminous way finding systems.



Digital printing FIMS









Laminating **films**

Digital printing films for walls and facades

For innovative and creative wall decorations, ASLAN offers high-quality digital printing films. Whether interior or exterior walls, whether short-term or long-term use – ASLAN has the right solution for your application. Thanks to the special ASLAN adhesives, the films are tailored specifically to any application you might have in mind.

For walls and facades	Features	Self-adhesive film
	Clear, glossy	UltraTack transparent ASLAN DFP 06
Permanent film for smooth and rough indoor walls, with extra strong adhesive, reliable hold even on challenging surfaces.	White, glossy	UltraTack ASLAN DFP 07
	White, matt	UltraTack matt ASLAN DFP 08
With any adhesive. The calculated adhesive	White, glossy, grey adhesive	UltraTack grey ASLAN DFP 07G
With grey adhesive. The coloured adhesive prevents the background showing through.	White, matt, grey adhesive	UltraTack matt grey ASLAN DFP 086
Removable facade films for rough outdoor walls, water-proof adhesive, no protective laminate required, guaranteed residue-free removal within up to 6 months, outdoor durability of up to 3 years if applied with heat.	White, glossy	WrapTheHouse ASLAN DFP 45 Certified for HP Latex Intes
The matt film is the ideal solution for applications where reflections are to be avoided.	White, matt	WrapTheHouse matt ASLAN DFP 55
Thanks to the film's transparency, even hard-to-stick surfaces can be designed with sharply defined, cut-out motifs, without time-consuming plotting.	Clear, glossy	WrapTheHouse transparent ASLAN DFP 65
Removable film for smooth indoor and outdoor walls (e.g. polished natural stone), water-resistant adhesive, easily removable in one piece.	White, glossy	WrapTheFloor ASLAN DFP 47
	White, glossy	LifeTime Removable ASLAN DFP 40
Removable film for smooth indoor walls, can be repositioned multiple times, for application onto wallpaper, wood, painted surfaces, metal	Clear, glossy	LifeTime Removable ASLAN DFP 41
and glass.	White, matt	LifeTime Removable ASLAN DFP 42



Digital printing films for floor graphics

Design floors in a whole different way and use them for eye-catching advertising! Whether for indoor or outdoor advertising, smooth or rough surfaces: ASLAN offers the right solution for every surface. For this application we provide various digital printing films that can be combined as required with slip-resistant floor graphics films. As a special advantage, the printed and laminated floor graphics are fire-rated as a complete, bonded unit.

Outdoor applica	itions	
5 10	For short-term applications on a wide variety of rough surfaces such as pavements, entrances, paving stones and outdoor staircases, easy and fast to remove.	WrapTheStreet ASLAN DFP 46
For rough floors (e.g. asphalt)	White, slip resistant (R9), directly printable, no laminating film required. For short-term applications on a wide variety of rough surfaces such as pavements, entrances, paving stones and outdoor staircases, easy and fast to remove.	Print'nGo Street ASLAN DFP 36
For smooth floors	No discolouring of stone surfaces by ink or adhesive, removable from smooth floors in one piece and without leaving residues, for temporary floor graphics, e.g. on marble or natural stone.	WrapTheFloor ASLAN DFP 47
Indoor applicati	ions	
	White, slip resistant (R9), directly printable, no laminating film required	Print'nGo ASLAN DFP 33
Slip-resistant floor graphics films for smooth surfaces	White, highly slip-resistant (R12), also for barefoot walkways, directly printable, no laminating film required	Print'nGo ASLAN DFP 43
	Clear, highly slip-resistant (R12), also for wet barefoot walkways, directly printable, no laminating film required	Print'nGo ASLAN DFP 44
For smooth floors	No discolouring of stone surfaces by ink or adhesive, removable from smooth floors in one piece and without leaving residues, for temporary floor graphics, e.g. on marble or natural stone	WrapTheFloor ASLAN DFP 47
For carpets	For temporary use on short-pile carpets, can be removed in one piece without leaving residues or damaging/discolouring the carpet	WrapTheCarpet ASLAN DFP 49






Digital printing films : WrapTheStreet ASLAN DFP 46 WrapTheFloor ASLAN DFP 47 WrapTheCarpet ASLAN DFP 49



printed with solvent, latex or UV curable inks



Protection films: Premium FloorProtect ASLAN MP 300 FloorProtect ASLAN MP 326



Special advantages of the ASLAN floor graphics solutions





The ASLAN floor graphics range includes both digital printing films and protective laminates that meet the requirements of slip resistance classes R9 and R12. The R9 certified self-adhesive films meet the minimum requirements for indoor floor coverings in general areas while the R12 certified versions meet the requirements of the second highest slip resistance class, required for use in commercial kitchens and guest rooms for example. In addition, the R12 films also meet the standard for slip resistance in wet barefoot areas according to DIN 51097 (class C) as applicable in, for example, the changing room areas of swimming baths or in entrance areas.





For its floor graphics range, ASLAN offers an unparalleled fire classification according to Euroclass EN 13501-1. This applies to all digital printing films used in conjunction with the floor graphics protective laminate FloorProtect ASLAN MP 326 or Premium FloorProtect ASLAN MP 300. What's so special about them is that these composites made from digital printing film and laminate are classified in their printed state.

Digital printing film for applications on PVC materials

This white, matt digital printing film is perfectly suited for applications on PVC materials. Using this self-adhesive film makes it easy to update contents that are already printed on PVC materials – for example changing dates of annually recurring events or eye-catching announcements. The film removes clean for minimum three months and its grey adhesive ensures a high opcacity.

Printable with solvent, eco-solvent, latex, UV curable inks and screen printing

Applications on printed and unprinted PVC materials

White, matt, PVC film, monomeric

SignTack Removable ASLAN DFP 13G




Digital printing films for applications on glass

	ation films allow a quick, easy and bubble-free dry application solvent, latex, UV curable inks and screen printing		Dry apply
Etched glass effect	7 years outdoor durability, PVC film, polymeric	PrintEtched Dryapply ASLAN DFL 300	Certified for HP Latex loks
Silver etched glass effect	7 years outdoor durability, PVC film, polymeric	PrintSilverEtched Dryapply ASLAN DFL 302	Certified for HP Latex loks
Dusted effect	7 years outdoor durability, PVC film, polymeric	PrintDusted Dryapply ASLAN DFL 200	
Milk glass effect	7 years outdoor durability, PVC film, polymeric	PrintMilky Dryapply ASLAN DFL 210	
Clear	7 years outdoor durability, PVC film, polymeric	WindowClear ASLAN DFP 18	
Coloured film	3-5 years outdoor durability, transparent	GlassColour ASLAN CT 113	



Benefits of ASLAN Dryapply technology, an ideal combination of adhesive, backing and structural characteristics:

- Extremely fine air release channels allow easy and bubble-free dry application
- Can be easily repositioned during application, without risk of damage
- Application tape can be removed immediately after application



Looks great from both sides!



Double-sided white blockout film

White, glossy, 180 μm

3 years outdoor durability

WindowBlock ASLAN DFP 25



Printed blockout film WindowBlock ASLAN DFP 25



Reversely printed







This highly opaque self-adhesive blockout film is white on both sides, making it ideal for double-sided advertising on glass surfaces. The high opacity of the blockout layer prevents digital prints from showing through.

In combination with a clear digital printing film printed with a mirror image, glass surfaces can be used for double-sided advertising that is applied from inside the glass. This offers perfect protection against vandalism.

Product advantages

- Unique product: white on both sides with high opacity
- In combination with a clear digital printing film printed with a mirror image, advertising can be applied on both sides of glass
- The high opacity prevents prints from shining through
- Thickness of 180 µm provides easy application
- Films can be easily removed, even after years

WindowBlock ASLAN DFP 25

Universal digital printing films for long-term applications

A very strong adhesive makes these polymeric digital printing films the ideal solution for long-term applications. The films provide a high level of adhesion, making them perfect for applications that require permanent adhesive or for challenging surfaces such as non-polar surfaces, as can be found on plastic dustbins.

A double-sided, PE coated silicone liner makes them highly resistant to moisture and heat and guarantees perfect printing results.

Product advantages

- Polymeric digital printing film with outdoor durability of 7 years
- For application temperatures from 5 °C
- Special adhesive with very high adhesive strength
- Especially suitable for challenging, uneven and/or non-polar surfaces
- Ideal for application onto rough indoor walls



Extra strong adhesive	Durability	Features	Self-adhesive film
Clear, glossy	7 years	Polymeric	UltraTack transparent ASLAN DFP 06
White, glossy	7 years	Polymeric	UltraTack ASLAN DFP 07
White, matt	7 years	Polymeric	UltraTack matt ASLAN DFP 08
White, glossy	7 years	Polymeric, with grey adhesive	UltraTack grey ASLAN DFP 07G
White, matt	7 years	Polymeric, with grey adhesive	UltraTack matt grey ASLAN DFP 08G

Highly translucent digital printing film for illuminated signs

With its silk-matt surface and an especially high translucency, this white digitally printable, self-adhesive film is ideal for backlit applications.


A structure of extremely fine air release channels permit dry application of the film. Air bubbles can be wiped out with ease, making application fast, clean and efficient.

Highly translucent

White, polymeric, with air release channels for easy dry application

Lightbox Dryapply ASLAN DFL 20

Floor graphics laminates



Even when printed and laminated, the floor films are fire-rated according to DIN EN 13501-1.

Laminates

Anti-graffiti laminate	
Clear, highly glossy polyester film, highly scratch-resistant, graffitis can be easily removed from the surface Polymeric softened protective film for long-term outdoor	AntiGraffiti ASLAN SL 95
Clear, glossy, polymeric softened protective film for long-term protection of prints, indoors and outdoors	PremiumProtect ASLAN SL 17

Monomeric softened special-protective film for UV curable inks

The self-adhesive lamination film with a special adhesive is designed to protect prints made with UV curable inks. Of course, the laminate can be used to protect prints made with solvent, eco-solvent and latex inks too. The laminate is protecting your prints from UV radiation, weather, vandalism and mechanical wear.

Clear, glossy PVC fil	m, monomeric softened,
for protection of UV	prints indoors and outdoors

Clear, matt PVC film, monomeric softened, for protection of UV prints indoors and outdoors

UV-PrintProtect ASLAN SL 27

UV-PrintProtect Matt ASLAN SL 28

PVC free films

The use of PVC free selfadhesive materials is becoming more important to customers these days.

Plasticizer-free materials are required for indoor applications as well as public spaces.

Many large companies already prescribe their use for reasons of sustainability and to

ensure a physiologically harmless environment. In addition, PVC free alternatives such as polypropylene avoid the formation of hydrogen chloride and hydrochloric acid during disposal and are therefore more environmentally friendly and easy to recycle within the material cycle.

PVC free

Within our extensive range, we already offer a variety of PVC free options, which will be further expanded in the future. So you can choose today and in the future whether PVC or PVC free products are being used.

In addition to the aspect of sustainability, the PVC free materials also offer the added value of dimensional stability – a shrinkage similar to PVC does not occur.

PVC free memoboard films

Blackboard PP Dryapply ASLAN BBL 920	Dry apply
Whiteboard PP Dryapply ASLAN WBL 998	Dry apply
Clearboard ASLAN CB 90	
FerroSoft Whiteboard ASLAN FF 550	
FerroSoft ASLAN FF 410	
MagneTack ASLAN MT 400	
PET FerroPaper ASLAN FP 180	
PP FerroPaper ASLAN FP 260	
	Whiteboard PP Dryapply ASLAN WBL 998 Clearboard ASLAN CB 90 FerroSoft Whiteboard ASLAN FF 550 FerroSoft ASLAN FF 410 MagneTack ASLAN MT 400 PET FerroPaper ASLAN FP 180

Rear projection film

Clear, glossy rear projection film for clear surfaces


RearProjection transparent ASLAN RP 36



PVC free glass decoration films

Dusted effect		EcoEtched EasyRemove ASLAN ER 151
Colour shifting film	Transparent dichroic films with two effects	ColourShift ASLAN SE 70 Solar ColourShift ASLAN SE 70 Nebula
PVC free cutting	films	
Opaque coloured film	S	
Black and white, matt	Universal opaque colour films	EcoPlot ASLAN PP 112
PVC free lamina	tion films	
For refining of prints	and surfaces	
Clear, matt	Protection film with SoftTouch surface	EcoSoftTouch ASLAN SL 109
	Scratch-resistant anti-graffiti protective film	AntiGraffiti ASLAN SL 95

Metal effect films		
8 polished or brushed effects	Polyester film, identical effect on both sides	MetalEffect ASLAN CA 23
Special effect films		
Aluminised polyester film, identical effect on both sides	Highly reflective, scratch-resistant mirror effect films, silver and gold	MirrorEffect AntiScratch ASLAN SE 75
Aluminised polyester film	Highly reflective, scratch-resistant mirror effect film for simple application	MirrorEffect SimplyApply ASLAN SE 76
Polyester film, matt varnished	Classy, scratch-resistant special effect films in champagne and platinum	MetalLux ASLAN SE 50
Colour shifting film	Transparent dichroic films with two effects	ColourShift ASLAN SE 70






Stencil films

For more than 30 years, ASLAN has been offering self-adhesive stencil films for painting and lacquering applications, standing out as the recognised specialist in this field.

Whether on smooth surfaces, textiles or rough walls: ASLAN has the right stencil film for you, supporting you in achieving best results in specifically your painting or lacquering application.

As a specialist and market leader in self-adhesive stencil films, ASLAN offers a comprehensive portfolio covering wide-ranging applications.



Stencil films for painting and lacquering

For painting and lacquering	
For tarpaulins, signs and vehicles	PremiumMask ASLAN 85 K
With high adhesion	PremiumMask HighTack ASLAN 85 G
For smooth surfaces	PaintMask ASLAN S 79
For facades and rough walls	WallMask ASLAN S 41
For painting and spraying work on uncoated textiles	TextileMask ASLAN S 390

PremiumMask ASLAN 85 K

The highly flexible self-adhesive stencil film for painting and lacquering works

This self-adhesive stencil film is especially flexible and suitable for all lacquering and painting applications on plain and curved surfaces. It can be removed without leaving any residues.

- The world's most popular universal, highly flexible stencil film
- Tear-proof and easily removable
- For overlapping and multiple lacquering with touch-dry colours
- Ensures sharp contours, preventing paint from running underneath the film
- Suitable for high-temperature lacquering on vehicles



WallMask ASLAN S 41 – The stencil film for rough walls and facades

This highly flexible stencil film allows easy, sharply contoured lettering on rough walls and facades, turning them into permanent advertising or decorated spaces.

Product advantages

- Highly flexible PVC film, fits into joints and recesses
- Adheres perfectly to all rough indoor and outdoor walls
- Ensures sharp contours, thus no paint can run underneath the film
- Removable without leaving residues
- Tear-resistant
- Suitable for multiple paint applications
- Allows quick, cost-efficient facade lettering

















Stencil films for sandblasting works

These self-adhesive stencil films, coordinated perfectly with various stone and glass surfaces, allow sharply contoured, relief-type structures, texts and logos or matt surface finishes. The range includes sandblasting films for a wide variety of sandblasting depths and surfaces.

The sandblasting films are highly robust and pressure-resistant and will not be damaged by the sandblasting process. Thanks to a special adhesive technology, they can be easily removed from glass, marble, granite and metals without leaving any residues.

For very heavy duty works

- 600 μm, PVC film, transparent
- Colour: creme

For heavy duty works

- 330 µm, PVC film, opaque
- Colour: grey



Sandblast 330 ASLAN S 64

Sandblast 600 ASLAN S 62

- For light and medium duty works
- 230 µm, PVC film, opaque
- Colour: white



For light and medium duty works

- 180 µm, PVC film, transparent
- Higher resistance thanks to double-layer quality
- Colour: grey

For light duty works on glass

- 80 µm, PVC film, transparent
- Colour: grey-green



Glass

Sandblast 80 ASLAN S 69

Sandblast 230 ASLAN S 66

NEW MultiStitch Embroidery ASLAN ME 70

Embroidering stabiliser, non-woven in black or white




Self-adhesive non-woven material in black or white, which is perfect for machine embroidery. Even sensitive fabrics or small objects that cannot be fixed in the hoop, can be embroidered by using MultiStitch Embroidery. Optimal adhesive force avoids material's slipping while embroidering and after the embroidery process only the used area of the non-woven has to be removed – of course residue-free. To reduce machines' set-up times and downtimes, simply paste another piece of MultiStitch Embroidery over the used area.

- 50 g/m², PET/CV non-woven
- Colours: black, white

Product advantages

- Fixing garments, without tensioning into the hoop
- No slipping due to the optimal adhesive force
- Non-woven ist removable residue-free
- Robust non-woven gives stability to garments while processing
- Avoids stretching or warping of fabrics
- No adhesive on the needle
- The yarn does not tear
- Embroider multiple motifs simultaneous next to each other



Ilumi nated Signs





Opaque blockout films for light boxes

This opaque PVC film in double-layer quality is especially designed for blocking out areas in illuminated advertising.

Fully opaque, white film with black reverse side

Blockout ASLAN W 15

Fully opaque, black film with white reverse side

Blockout ASLAN W 16



Diffuser film for ideal light diffusion in light boxes

In thin light boxes, the light source can be very close to the front panel. This means that the light source is visible, making the illuminated surface look uneven.

The Diffuser ASLAN D 160 film avoids this by spreading the light ideally and providing consistent illumination.

Diffuser ASLAN D 160



Double Sided self-adhesive films

ASLAN's double-sided self-adhesive films can be used to turn maps, prints, posters and other non-adhesive materials into high quality self-adhesive products quickly and easily. Lined with a pH-neutral adhesive, they are suitable for a wide range of surfaces and can be applied without spray adhesives.

For easy manual application, they are equipped with release liners on both sides.

Double-sided self-adhesive film with good flatness, permanent | permanent

Ideal for creating self-adhesive sheets. Highly stable, with both sides adhering permanently and reduced initial adhesion.

Double-sided self-adhesive film,

permanent | permanent

For both smooth and rough surfaces. Both sides are lined with permanent adhesive: reduced initial adhesion on one side, extra strong adhesion on the other side.

MountFilm HighTack ASLAN DK 3

Premium MountFilm ASLAN DK 1

Double-sided self-adhesive film, permanent | removable

Ideal for all smooth surfaces. Removable adhesive on one side, permanent adhesive with reduced initial adhesion on the other side.

MountFilm Remove ASLAN DK 4

Double-sided self-adhesive films											
Clear PVC films,	Double-sided permanent adhesion, with low initial tack ideal for pre-cut sheets	Premium MountFilm ASLAN DK 1									
liner on both sides, for self-adhesive finishing	Permanent with low initial tack on one side, permanent adhesive on the other side	MountFilm HighTack ASLAN DK 3									
of printed products	Permanent with low initial tack, removable on the other side	MountFilm Remove ASLAN DK 4									




Mounting film and tapes



Mounting film & application tapes For simple and precise transfer of lettering and prints

Mounting film	With backing, ideal for storing and shipping letterings, for multiple usage	ASLAN TMO
	Low adhesion, for transferring stencil films	LowTackTape ASLAN TP 110
Paper tapes	Medium adhesion, for universal applications	UniversalTape ASLAN TP 122
	Strong adhesion, for universal applications	HighTackTape ASLAN TP 136
	Universal tape	FilmicTape ASLAN TF 100
Filmic tapes	Embossed tape, especially easy to laminate	Embossed FilmicTape ASLAN TF 105







Accessories for a pr	ofessional and fast application of ASLAN films	
Squeegees		
Wooden board	Small, 15 cm	WoodSqueegee ASLAN FB 1
squeegees, with felt edge	Large, 26 cm	WoodSqueegee ASLAN FB 2
Felt squeegee	White, synthetic felt, 20 cm	FeltSqueegee ASLAN FR 20
	White, 10 cm	WhiteSqueegee ASLAN KR 1
	Gold, very flexible, 10 cm	GoldSqueegee ASLAN KR 2
Plastic squeegees	White, with felt edge, 10 cm	WhiteSqueegee Felt ASLAN KRF 1
	Gold, very flexible, with felt edge, 10 cm	GoldSqueegee Felt ASLAN KRF 2
Cutting tools		
Universal cutting tool	Universal cutting knife, stable metal design	ASLAN Cutter
Stable cutting tool	Tool for cutting off film, very stable, with edge protection	ASLAN EasyKnife
Stable special knife	Tool for separating the film from the liner	ASLAN BodyGuardKnife Teflon
Accessories		
Surface cleaner	For treatment of surfaces before applying films	CleaningLiquid ASLAN AKR
Transfer liquid	Concentrate 0.5 l, including a spraying bottle	TransferLiquid ASLAN TL 10
Liquid chalk pen	Ideal for use with PremiumBlackboard ASLAN BB 910, FerroSoft Blackboard ASLAN FF 540, Blackboard PP Dryapply ASLAN BBL 920 and ClearChalk ASLAN CR 63	ASLAN C-pen
Rubber roll	For applications of ASLAN films on rough surfaces	ASLAN ApplicationRoll

ASLAN Social Media

Want to find out about the latest innovations we have developed for you, whether or not the folks in our region of Germany actually go to work in fancy dress during the carnival season, and at what trade shows you can meet us face to face?

Find answers to all these questions as well as application tips, photos, videos and more on Facebook, YouTube and LinkedIn. Follow us!

aslanselbstklebefoliengmbh



aslan.selbstklebefolien



Tube




www.linkedin.com/company/ aslan-selbstklebefolien-gmbh



At one glance







All films at one glance

Outdoor durability in years

Colour

PremiumBlackboard ASLAN BB 910	Blackboard film for liquid chalk and chalk	5	Black
Blackboard PP Dryapply ASLAN BBL 920	PVC free blackboard film for liquid chalk and chalk	2	Black
Blackboard ASLAN C 61	Blackboard film for chalk	2	Black
Blackboard AntiScratch ASLAN CR 62	Blackboard film, especially scratch-resistant, for chalk	2	Black
ClearChalk ASLAN CR 63	Blackboard film, clear, for chalk and ASLAN C-pen	2	Clear
FerroSoft ASLAN FF 410	Very flexible, magnetically-receptive ferrous film, PVC free		Anthracite
FerroSoft Print ASLAN FF 480	Flexible, printable, magnetically-receptive ferrous film		White
FerroSoft Whiteboard matt ASLAN FF 490	Flexible, magnetically-receptive ferrous film with matt whiteboard finish		White
FerroSoft Blackboard ASLAN FF 540	Flexible, magnetically-receptive ferrous film with blackboard finish		Black
FerroSoft Whiteboard ASLAN FF 550	Flexible, printable, magnetically-receptive ferrous film with glossy whiteboard finish, PVC free		White
Whiteboard ASLAN WB 995	Scratch-resistant whiteboard film	5	White
Whiteboard Dryapply ASLAN WBL 995	Scratch-resistant whiteboard film, for easy dry application	5	White
WhiteboardMatt ASLAN WB 975	Scratch-resistant, low-reflection whiteboard film, suitable for projection	5	White
Whiteboard PP Dryapply ASLAN WBL 998	PVC free, scratch-resistant whiteboard film, for easy dry application		White
WhiteboardColour ASLAN WBC 996	Scratch-resistant, coloured whiteboard films	5	6 colours
Clearboard ASLAN CB 90	Scratch-resistant whiteboard film, PVC free	5	Clear
ClearboardMatt ASLAN CB 75	Scratch-resistant, low-reflection whiteboard film	5	Clear
EtchedBoard Dryapply ASLAN EBL 300	Glass decoration film with whiteboard finish		Translucent
RearProjection ASLAN RP 35	Rear projection film for clear surfaces		White, translucent
RearProjection transparent ASLAN RP 36	Rear projection film for clear surfaces, PVC free		Clear
MagneTack ASLAN MT 400	Self-adhesive magnetic film to use with ASLAN ferrous papers, PVC free		Anthracite
PET FerroPaper ASLAN FP 180	Magnetically-receptive, printable PET ferrous paper to use with magnetic self-adhesive film, PVC free		White
PP FerroPaper ASLAN FP 260	Magnetically-receptive, printable PP ferrous paper to use with magnetic self-adhesive film, PVC free		White
ASLAN Dryapply technology			
Etched Dryapply ASLAN EL 300	Translucent film with etched glass look	7	Translucent
PrintEtched Dryapply ASLAN DFL 300	Printable, translucent film with etched glass look	7	Translucent
CilverEtched Druggely ACLAN EL 202			
SilverEtched Dryapply ASLAN EL 302	Translucent film with silvery etched glass look	7	Translucent
PrintSilverEtched Dryapply ASLAN DFL 302	Printable, translucent film with silvery etched glass look Printable, translucent film with silvery etched glass look	7 7	Translucent Translucent
	, 5		
PrintSilverEtched Dryapply ASLAN DFL 302	Printable, translucent film with silvery etched glass look	7	Translucent
PrintSilverEtched Dryapply ASLAN DFL 302 Dusted Dryapply ASLAN EL 200	Printable, translucent film with silvery etched glass look Translucent film with dusted glass look	7 7	Translucent Translucent
PrintSilverEtched Dryapply ASLAN DFL 302 Dusted Dryapply ASLAN EL 200 PrintDusted Dryapply ASLAN DFL 200	Printable, translucent film with silvery etched glass look Translucent film with dusted glass look Printable, translucent film with dusted glass look	7 7 7	Translucent Translucent Translucent
PrintSilverEtched Dryapply ASLAN DFL 302 Dusted Dryapply ASLAN EL 200 PrintDusted Dryapply ASLAN DFL 200 Milky Dryapply ASLAN EL 210	Printable, translucent film with silvery etched glass look Translucent film with dusted glass look Printable, translucent film with dusted glass look Translucent film with glass look	7 7 7 7	Translucent Translucent Translucent Translucent
PrintSilverEtched Dryapply ASLAN DFL 302 Dusted Dryapply ASLAN EL 200 PrintDusted Dryapply ASLAN DFL 200 Milky Dryapply ASLAN EL 210 PrintMilky Dryapply ASLAN DFL 210	Printable, translucent film with silvery etched glass look Translucent film with dusted glass look Printable, translucent film with dusted glass look Translucent film with glass look	7 7 7 7	Translucent Translucent Translucent Translucent
PrintSilverEtched Dryapply ASLAN DFL 302 Dusted Dryapply ASLAN EL 200 PrintDusted Dryapply ASLAN DFL 200 Milky Dryapply ASLAN EL 210 PrintMilky Dryapply ASLAN DFL 210 For universal applications	Printable, translucent film with silvery etched glass look Translucent film with dusted glass look Printable, translucent film with dusted glass look Translucent film with milk glass look Printable, translucent film with milk glass look	7 7 7 7 7 7	Translucent Translucent Translucent Translucent Translucent
PrintSilverEtched Dryapply ASLAN DFL 302 Dusted Dryapply ASLAN EL 200 PrintDusted Dryapply ASLAN DFL 200 Milky Dryapply ASLAN EL 210 PrintMilky Dryapply ASLAN DFL 210 For universal applications Etched ASLAN E 300	Printable, translucent film with silvery etched glass look Translucent film with dusted glass look Printable, translucent film with dusted glass look Translucent film with milk glass look Printable, translucent film with milk glass look Translucent film with milk glass look Translucent film with milk glass look Translucent film with etched glass look	7 7 7 7 7 7 7 7	Translucent Translucent Translucent Translucent Translucent
PrintSilverEtched Dryapply ASLAN DFL 302 Dusted Dryapply ASLAN EL 200 PrintDusted Dryapply ASLAN DFL 200 Milky Dryapply ASLAN EL 210 PrintMilky Dryapply ASLAN DFL 210 For universal applications Etched ASLAN E 300 SilverEtched ASLAN E 302	Printable, translucent film with silvery etched glass look Translucent film with dusted glass look Printable, translucent film with dusted glass look Translucent film with milk glass look Printable, translucent film with milk glass look Translucent film with etched glass look Translucent film with etched glass look Translucent film with etched glass look	7 7 7 7 7 7 7 7 7 7	Translucent Translucent Translucent Translucent Translucent Translucent Translucent Translucent
PrintSilverEtched Dryapply ASLAN DFL 302 Dusted Dryapply ASLAN EL 200 PrintDusted Dryapply ASLAN EL 200 Milky Dryapply ASLAN EL 210 PrintMilky Dryapply ASLAN DFL 210 For universal applications Etched ASLAN E 300 SilverEtched ASLAN E 302 Dusted ASLAN E 200	Printable, translucent film with silvery etched glass look Translucent film with dusted glass look Printable, translucent film with dusted glass look Translucent film with milk glass look Printable, translucent film with milk glass look Translucent film with etched glass look Translucent film with etched glass look Translucent film with silvery etched glass look Translucent film with dusted glass look Translucent film with dusted glass look	7 7 7 7 7 7 7 7 7 7 7 7	Translucent
PrintSilverEtched Dryapply ASLAN DFL 302Dusted Dryapply ASLAN EL 200PrintDusted Dryapply ASLAN DFL 200Milky Dryapply ASLAN EL 210PrintMilky Dryapply ASLAN DFL 210For universal applicationsEtched ASLAN E 300SilverEtched ASLAN E 302Dusted ASLAN E 210Milky ASLAN E 210	Printable, translucent film with silvery etched glass look Translucent film with dusted glass look Printable, translucent film with dusted glass look Translucent film with milk glass look Printable, translucent film with milk glass look Translucent film with etched glass look Translucent film with etched glass look Translucent film with silvery etched glass look Translucent film with dusted glass look	7 7 7 7 7 7 7 7 7 7 7 7	Translucent

Matt	Glossy	Thickness in µm	Film	Permanent	Semi-Permanent	Removable	Dryapply	PVC free	Indoor/outdoor application	Width in m	Standard length in m	Additional lengths	Fire rating B 1	Fire rating EN 13501-1	Catalogue page
		Film		Adhesiv	e					Dimension	s		Fire rat		
												The rushing			
		400							1/0	1.05	05			_	-
•		130	PVC film with special coating		•				1/0	1.25	25		•	_	7
•		80	PP with special coating		•		•	•	I/0	1.25	25				7
•		160 130	PVC film Embossed PVC film		•				I/0 I/0	1.25 1.37	25 25				7
•		125	Embossed special-PVC film		•				1/0	1.37	25			_	7
•		410	Polyethylene-based ferrous film	•	•			•	1/0	1.01 1.37	12 9		•		8
•		480	Polyethylene-based ferrous film	•						1.01	12		•		8
			with PVC laminate	•											
•		490	Polyethylene-based ferrous film with PVC laminate	•						1.37	9				8
•		540	Polyethylene-based ferrous film with PVC laminate and special coating	•					I	1.25	9				8
	•	550	Polyethylene-based ferrous film with PP-laminate	•				•	I	1.01 1.37	12 9				8
	•	150	PVC/PET with special coating	•					I/0	1.37	50		•		10
	•	150	PVC/PET with special coating		•		•		I/0	1.37	50				10
•		80	PVC with special coating		•				I/O	1.37	50		•		10
	•	150	PP with special coating		•		٠	•	T	1.37	50				10
	•	150	PVC/PET with special coating		•				I/O	1.22	24				10
	•	50	PET with special coating	•				•	I/O	1.37	50		•		10
•		80	PVC with special coating		•				I/O	1.37	50		•		10
•		80	PVC with special coating		•		•		1	1.37	25		•		10
•		90	Special-PVC		•				1	1.35	25	12,5			11
	•	50	Special-PET		•			•	1	1.35	25	12,5			11
	•	400	Polyethylene based film with strontium and barium ferrite	•				•	I	1.01	12				9
•		180	Coated PET film containing iron					•	I	1.37	50				9
•		260	Coated PP film containing iron						I	1.37	50				9
•		80	PVC, polymeric		•		•		I/O	1.26 1.52	50			•	14
•		80	PVC, polymeric		•		•		I/0	1.37 1.52	50				14
•		80	PVC, polymeric		•		•		1/0	1.26 1.52	50			•	14
•		80	PVC, polymeric		•		•		1/0	1.37 1.52	50				14
•		80	PVC, polymeric		•		•		1/0	1.26	50			•	14
•		80 80	PVC, polymeric		•		•		I/O	1.26	50				14
•			PVC, polymeric		•		•		1/0	1.26 1.52	50			•	14
•		80	PVC, polymeric		•		•		I/O	1.37	50				14
•		80	PVC, polymeric		•				I/0	1.26	50				16
•		80	PVC, polymeric		•				I/0	1.26	50				16
•		80	PVC, polymeric		•				I/0	1.26	50				16
•		80	PVC, polymeric		•				I/0	1.26	50				16
•		170	РР			•		•	I	1.37	50				35
	•	110	Polyester film with coating		•				I/0	1.37	50				15
										Please n	ead the te	chnical c	lata sheet	for more	informati

Please read the technical data sheet for more information.

All films at one glance

Outdoor durability in years

Colour

	Metal effect & special effect films			
	MetalPrint ASLAN CA 30	Printable metal effect films	5	6 effects
	MetalLux Print ASLAN SEP 50	Printable, matt special effect film	2	Champagne Platinum
	MetalEffect ASLAN CA 23	Metal effect films, PVC free	2/3-5	8 effects
	MetalColour ASLAN CA 24	Coloured metal effect films	2	5 effects
<u>ס</u>	MetalShadow ASLAN CA 25	Metal effect films in 4 sleek silver tones	2	4 effects
	MirrorEffect AntiScratch ASLAN SE 75	Double-sided, scratch-resistant mirror effect film, PVC free	3-5	Silver Gold
	MirrorEffect SimplyApply ASLAN SE 76	One-sided, scratch-resistant mirror effect film, simple to apply, PVC free		Silver
	MetalLux ASLAN SE 50	Scratch-resistant, matt special effect film, PVC free	2	Champagne Platinum
	ColourShift ASLAN SE 70	Transparent dichroic film, PVC free	2	Transparent, two versions Nebula and Solar
	ColourShift ASLAN SE 71	Opaque dichroic film with four effects Aurora (pink to light blue), Alpha (magenta to yellow), Andromeda (copper to green) and Plasma (dark blue)		4 opaque dichroic effects
	MetalEffect Doming ASLAN DCA 120	Metal effect film especially for doming applications	2	Silver brushed
	Coloured films			
		On a second s	7	20 standard 2 moth schools
	PremiumColour ASLAN C 118 Soft	Opaque premium colour films, for long-term use	7 3-5	30 glossy and 2 matt colours 31 glossy and 23 matt colours
	EcoColour ASLAN C 114 FluoColour ASLAN CL 70	Universal opaque colour films Fluorescent films		Red Yellow
	GlassColour ASLAN CT 113		3-5	
	EcoPlot ASLAN PP 112	Transparent coloured films Universal opaque colour film, PVC free	2	25 colours, printable Black White
		oniversal opaque colour nun, i vo nee	۷	
	For painting and lacquering works			
	PremiumMask ASLAN 85 K	Stencil film for smooth surfaces		Grey, translucent
	PremiumMask HighTack ASLAN 85 G	Stencil film for smooth surfaces, with strong adhesion		Grey, translucent
	PaintMask ASLAN S 79	Stencil film for truck curtains and other smooth surfaces		Grey green, translucent
	WallMask ASLAN S 41	Stencil film for rough walls and facades		Grey, translucent
	TextileMask ASLAN S 390	For painting and spraying work on uncoated textiles, PVC free		Grey, transparent
	For sandblasting works			
	Sandblast 600 ASLAN S 62	Sandblasting film for heavy-duty sandblasting on stone		Creme, translucent
	Sandblast 330 ASLAN S 64	Sandblasting film for heavy sandblasting on stone		Grey, opaque
	Sandblast 230 ASLAN S 66	Sandblasting film for medium-duty sandblasting		White, opaque
	Sandblast 180 ASLAN S 68	Sandblasting film for medium-duty sandblasting		Grey, transparent
	Sandblast 80 ASLAN S 69	Sandblasting film for light sandblasting on glass		Grey green, transparent
	Embroidering stabiliser			
	MultiStitch Embroidery ASLAN ME 70	Self-adhesive embroidering stabiliser, non-woven, PVC free		Black White
	Iluminated signs			
		Blockout film – black adhesive side	7	White
	Blockout ASLAN W 15 Blockout ASLAN W 16	Blockout film – white adhesive side	7	Black
	Diffuser ASLAN D 160	Diffusion film for optimal light distribution	7	White, translucent
	GlassColour ASLAN CT 113	Transparent coloured films	, 3-5	25 colours, printable
			0-0	
	Double-sided self-adhesive films Premium MountFilm ASLAN DK 1	Double-sided permanent with low initial tack		Clear
	MountFilm HighTack ASLAN DK 3	Permant with low initial tack Permanent		Clear
	MountFilm Remove ASLAN DK 4	Permant with low initial tack Removable		Clear

	Matt	Glossy	Thickness in µm	Film	Permanent	Semi-Permanent	Removable	Dryapply	PVC free	Indoor/outdoor application	Width in m	Standard length in m	Additional lengths	Fire rating B 1	Fire rating EN 13501-1	Catalogue page
			Film		Adhesiv	/e					Dimensions			Fire rat	ing	
			140	PET/PVC						I/0	1.25	25				19
	•	•	140	PET/PVC	•					I/O	1.25	25				19
	•	•	50	PET		•			•	1/0	1.25	25		•		20
	•	•	140	PET/PVC		•				I/O	1.22	24				20
		•	140	PET/PVC		•				I/0	1.22	24				20
		•	75	PET		•			•	I/0	1.25	25			•	20
		•	75	PET			•		•	1	1.25	25				20
	•		50	PET		•				I/0	1.25	25				20
		•	110	Polyester film with coating		•				I/0	1.37	50				15
			400								4.00					
		•	190	PVC/PET compound		•				I	1.20	24				20
	•		140	PVC, polymeric softened	•					I/0	1.24	25				19
			20							1/0	4.05	50				00
	•	•	70	PVC, polymeric		•				I/0	1.25 1.22	50 50				23
_	•	•	70 100	PVC, monomeric		•				I/0 I/0	1.22	25				24 25
		•	80	PVC with special coating PVC, monomeric		•				I/0	1.25	25				25
	•	•	80	PP		•			•	1/0	1.25	50				35
	-															
			80	PVC			•				1.25	50				37
			80	PVC			•				1.25	50				37
			80	PVC			•				1.25	50				37
			80	PVC			•				1.25	50	25			38
			180	PVC			•				1.25	25				37
			400	DVC							1.25	10				20
			600 330	PVC PVC			•				1.25	10 25				39 39
			230	PVC			•				1.25	25				39 39
			180	PVC			•				1.25	25				39
			80	PVC			•				1.25	50				39
			50 g/m ²	PET/CV non-woven			•		•		0.9 0.45	25				39
		•	130	PVC, polymeric			•			I/0	1.25	25				40
		•	130	PVC, polymeric			•			I/O	1.25	25				40
	•		85	PVC, polymeric		•				I/0	1.35	50	25			40
		•	80	PVC, monomeric		•				I/0	1.25	25				25
			70	PVC, monomeric	•					I.	1.35	25				41
			70	PVC, monomeric	•					T	1.35	50	25			41
			70	PVC, monomeric	•		•			I.	1.35 ^{Please re}	ad the tec	hnical da	ta sheet f	or more ir	formatio

All films at one glance

Outdoor durability in years

Colour


Protective laminat

Premium FloorProtect ASLAN MP 300	Slip-resistance certification DIN 51130 and DIN 51097	Up to 6 months. depending on mechanical wear	Clear
FloorProtect ASLAN MP 326	Slip-resistance certification DIN 51130 and ASTM D 2047-04	Up to 6 months. depending on mechanical wear	Clear
AntiGraffiti ASLAN SL 95	Protective laminate with anti-graffiti protective coating, especially scratch-resistant, PVC free	5	Clear
PremiumProtect ASLAN SL 17	Protective laminate for long-term outdoor use	7	Clear
PremiumProtect Matt ASLAN SL 18	Protective laminate for long-term outdoor use	7	Clear
UV-PrintProtect ASLAN SL 27	Protective laminate, especially for UV prints	3	Clear
UV-PrintProtect Matt ASLAN SL 28	Protective laminate, especially for UV prints	3	Clear
EcoSoftTouch ASLAN SL 109	Protective PP-laminate with a precious haptic, PVC free		Clear

5 11

ASLAN TMO	PVC mounting film with release liner, reusable	Clear
LowTackTape ASLAN TP 110	Paper tape, low adhesion	White
UniversalTape ASLAN TP 122	Paper tape, medium adhesion	White
HighTackTape ASLAN TP 136	Paper tape, high adhesion	White
FilmicTape ASLAN TF 100	Filmic tape	Clear
Embossed FilmicTape ASLAN TF	105 Filmic tape, embossed	Clear

Digital printing films at one glance



Rough walls

UltraTack transparent ASLAN DFP 06	Clear, extra strong adhesion even on non-polar surfaces, for long-term application	7			٠		
UltraTack ASLAN DFP 07	White, glossy, extra strong adhesion even on non-polar surfaces, for long-term application	7	•				
UltraTack matt ASLAN DFP 08	White, matt, extra strong adhesion even on non-polar surfaces, for long-term application	7		•			
UltraTack grey ASLAN DFP 07G	White, glossy, extra strong adhesion even on non-polar surfaces, for long-term application with grey adhesive	7	•				
UltraTack matt grey ASLAN DFP 08G	White, matt, extra strong adhesion even on non-polar surfaces, for long-term application with grey adhesive	7		•			
WrapTheHouse ASLAN DFP 45	For rough facades, removable up to 6 months	3	•				
WrapTheHouse matt ASLAN DFP 55	For rough facades, removable up to 6 months	3		•			
WrapTheHouse transparent ASLAN DFP 65	For rough facades, removable up to 6 months	3				•	
WrapTheFloor ASLAN DFP 47	For tiles and polished natural stone, residue-free removal		•				
LifeTime Removable ASLAN DFP 40	For indoor applications, residue-free removal up to 12 months		•				
LifeTime Removable ASLAN DFP 41	For indoor applications, residue-free removal up to 12 months				•		
LifeTime Removable ASLAN DFP 42	For indoor applications, residue-free removal up to 12 months			•			

Matt	Glossy	Thickness in µm Film	щ	Dermanent Adhesive	semi-Permanent	Removable	Dryapply	Slip-resistance certification	PVC free	Indoor/outdoor application	E .i: ttp: M Dimensions	Standard length in m	Additional lengths	Fire rating B 1	Fire rating EN 13501-1	Catalogue page
		FIUII		Aunesiv	2						Dimensions			FileI	ating	
•			PVC with special coating	•				R12		I/O	1.37	25			•*	33
•		125	PVC	•				R9		I/O	1.37	25			•*	33
	•		PET with special coating	•						I/O	1.37	50	25	•		33
	•		PVC, polymeric	•						I/0	1.37 1.60	50				33
•		75	PVC, polymeric	•						I/0	1.37 1.60	50				33
	٠	70	PVC, monomeric	•						I/0	1.35	50				33
•		70	PVC, monomeric	•						I/0	1.35	50				33
•		50	PP	•						I.	1.37	50				35
		70	PVC			•					1.35	50	25			42
			Special paper			•					1.33	100	2.5			42
			Special paper			•					1.22	100				42
			Special paper			•					1.22	100				42
			LDPE			•					1.22 1.00	100				42
			PP			•					1.22	100				42
		Find our d	igital printing	g films	from	page 20	6 onwa	rds								
Thickness in µm										Solvent, eco-eolvent, JV curable inks.	_atex inks and screen printing	⁻ loorProtect ASLAN MP 326	^D remium FloorProtect ASLAN MP 300	-ire rating B 1	Fire rating EN 13501-1	Catalogue page
Thickness in µm	8		igital printing Build Bu	Permanent	from Semi-Dermanent esive		onwa Dryapply	Indoor/outdoor		Solvent, eco-eolvent, UV curable inks.		BER FloorProtect Berling ASLAN MP 326	buit ASLAN MP 300	Fire rating B 1	Ene rating EN 13501-1	Catalogue page
				Permanent	Semi-Permanent									Fire rating		
				Permanent	Semi-Permanent							Lamina		Fire rating		
	<u>{</u>			Permanent	sive Semi-Permanent						bility	Lamina		Fire rating		
Thickness	Ē		Dimensions in m	bermanent Adh	esive K n			Indoor/outdoor annlication		Printa	bility	Lamina		Fire rating	ing	Catalogue
08 Thickness	ع ت P P	VC, polymeric	E s s o u u u u u u u u u u u u u u u u u	Adh higi tacl higi tacl	esive c n c n			Indoor/outdoor onlication		Printa	bility	Lamina		Fire rat	ing •	Catalogue 72
Thickness 80 75	P P	VC, polymeric VC, polymeric	E . <u>c</u> se se E E E E E E E Se Se E Se S S S Se Se S Se Se Se Se Se Se S Se S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S S	Adh higi tacl higi tacl higi tacl	esive comparent			0/1 0/1 anolication		Printa	bility	Lamina		Fire rat	•	Catalogue 22 22
ssaus Hickness 80 75 75	P P P	VC, polymeric VC, polymeric VC, polymeric VC, polymeric	E .: .: .: .: .: .: .: .: .: .: .: .: .:	Adh higl tacl higl tacl higl tacl higl tacl higl tacl higl tacl	esive compared compar			0/1 0/1 0/1 0/1 0/1		Printa •	bility	Lamina		Fire rat	•	Catalogue 22 22 22 22 22
ssauky 2014 80 75 75 75	P P P	PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric	E su 	Adh higl tacl higl tacl higl tacl higl tacl higl tacl	esive compared compar			0/I		Printa	bility	Lamina		fire rat	ing • •	Catalogue 32 32 32 32 32
ssauky 2014 80 75 75 75 75	<u></u> Р Р Р Р	PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric	E Su Su Su Su Su Su Su Su Su Su Su Su Su	Adh higl tacl higl tacl higl tacl higl tacl higl tacl higl tacl	esive compared compar	Removable		0/I		Printa	bility	Lamina		fire rat	ing • •	232 32 32 32 32 32 32 32
ssauky Pitersenergiese	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric PVC	E Se	Adh higi tacl higi tacl higi tacl higi tacl	esive compared compar	Emovable		0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1		Printa	bility	Lamina		fire rat	ing • •	Catalogue 32 32 32 32 32 32 32 32 32 32 32 32
ssausylui 80 75 75 75 75 80 80 80 80	8 11 11 11 11 11 11 11 11 11 11 11 11 11	VC, polymeric VC, polymeric VC, polymeric VC, polymeric VC, polymeric VC, polymeric VC VC VC	E S S S S S S S S S S S S S	Adh higl tacl higl tacl higl tacl higl tacl higl tacl	esive compared compar	• Removable		0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1 0/1		Printa	bility	Lamina		fire rat	ing • •	32 32 32 32 32 32 32 32 27 27 27 27
ssausyie 80 75 75 75 80 80 80 80 80 80	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric PVC PVC PVC PVC PVC PVC PVC	E S0 x 1.37 50 x 1.37 25 x 1.37 25 x 1.37 25 x 1.37 25 x 1.37 25 x 1.37	Adh higl tacl higl tacl higl tacl higl tacl higl tacl	esive compared compar	• Removable		0/1 1 0/1 1 0/1 0		Printa	bility	Lamina		fire rat	ing • •	32 32 32 32 32 32 32 32 27 27 27 27
ss us u	8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric PVC PVC PVC PVC PVC PVC PVC PVC, monomeric	E So x 1.37 50 x 1.37 25 x 1.37	Adh higl tacl higl tacl higl tacl higl tacl higl tacl	esive compared compar	e e e		0/1 1 0/1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 <td></td> <td>Printa</td> <td>bility</td> <td>Lamina</td> <td></td> <td>fire rat</td> <td>ing • • • •</td> <td>32 32 32 32 32 32 32 32 27 27 27 27 27</td>		Printa	bility	Lamina		fire rat	ing • • • •	32 32 32 32 32 32 32 32 27 27 27 27 27
ssausyie 80 75 75 75 80 80 80 80 80 80	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric PVC, polymeric PVC PVC PVC PVC PVC PVC PVC	E S0 x 1.37 50 x 1.37 25 x 1.37 25 x 1.37 25 x 1.37 25 x 1.37 25 x 1.37 25 x 1.37	Adh higl tacl higl tacl higl tacl higl tacl higl tacl	esive compared compar	e e e e e e e e e e e e e e e e e e e		0/1 1 0/1 1 0/1 0		Printa	bility	Lamina		fire rat	ing • • • •	32 32 32 32 32 32 32 32 27 27 27 27

Please read the technical data sheet for more information.

 * In combination with ASLAN DFP 46, ASLAN DFP 47 and ASLAN DFP 49.

Digital printing films at one glance

Outdoor durability in years	White, glossy	White, matt	Clear, glossy	Clear, matt	Thickness in µm	
	Colour					

Smooth wal

	Smooth walls											
	UltraTack transparent ASLAN DFP 06	Clear, extra strong adhesion even on non-polar surfaces, for long-term application	7		•	80						
	UltraTack ASLAN DFP 07	White, glossy, extra strong adhesion even on non-polar surfaces, for long-term application	rong adhesion even on non-polar 7 🔸									
	UltraTack matt ASLAN DFP 08	White, matt, extra strong adhesion even on non-polar surfaces, for long-term application	7	•	75							
	UltraTack grey ASLAN DFP 07G	White, glossy, extra strong adhesion even on non-polar surfaces, for long-term application with grey adhesive	7	•	75							
	UltraTack matt grey ASLAN DFP 08G	White, matt, extra strong adhesion even on non-polar surfaces, for long-term application with grey adhesive	7	•	75							
	Rough floors											
	WrapTheStreet ASLAN DFP 46	Ideal for asphalt and pavements		80								
	Print'nGo Street ASLAN DFP 36	Print, apply, ready! R9 classified	6 months	•	125							
	Smooth floors											
	Print'nGo ASLAN DFP 33	Print, apply, ready! R9 classified		•		125						
	Print'nGo ASLAN DFP 43	Print, apply, ready! R12 classified		•	140							
	Print'nGo ASLAN DFP 44	Print, apply, ready! R12 classified			• 140							
	WrapTheFloor ASLAN DFP 47	Ideal for tiles and polished natural stone	*	•		150						
	Carpet											
	WrapTheCarpet ASLAN DFP 49	For short pile carpets	*	•		150						
	Glass and transparent, smooth surfaces											
	WindowClear ASLAN DFP 18	Printable film for transparent surfaces	7		•	80						
	WindowBlock ASLAN DFP 25	Double sided blockout film	3	•	180							
	LifeTime Removable ASLAN DFP 40	For indoor applications, residue-free removal up to 12 months		•	80							
	LifeTime Removable ASLAN DFP 41	For indoor applications, residue-free removal up to 12 months			80							
	LifeTime Removable ASLAN DFP 42	For indoor applications, residue-free removal up to 12 months		•	80							
	PrintEtched Dryapply ASLAN DFL 300	Printable, translucent film with etched glass look	7	Translucent	80							
	PrintSilverEtched Dryapply ASLAN DFL 302	Printable, translucent film with silvery etched glass look	7	80								
	PrintDusted Dryapply ASLAN DFL 200	Printable, translucent film with dusted glass look	7	Translucent		80						
	PrintMilky Dryapply ASLAN DFL 210	Printable, translucent film with milk glass look	7	Translucent		80						
	LightboxPrint Dryapply ASLAN DFL 20	Highly translucent, for an easy dry application	7	•	90							
	PrintMetal ASLAN CA 30	Printable metal effect film	5	6 metal effects	140							
	MetalLux Print ASLAN SEP 50	Printable, scratch-resistant, matt special effect film	2	Champagne F	140							
	FerroSoft Print ASLAN FF 480	Flexible, printable, magnetically-receptive ferrous film		•	480							
	Universal applications on smooth surfaces											
	LifeTime Removable ASLAN DFP 40	For indoor applications, residue-free removal up to 12 months		•		80						
	LifeTime Removable ASLAN DFP 41	For indoor applications, residue-free removal up to 12 months	•			80						
	LifeTime Removable ASLAN DFP 42	For indoor applications, residue-free removal up to 12 months		•		80						
	PrintMetal ASLAN CA 30	Printable metal effect film	5	7 metal effects		140						
	MetalEffect Doming ASLAN DCA 120	Metal effect film especially for doming applications	2	Silver brushed	140							
	GlassColour ASLAN CT 113	Transparent coloured films	3-5	25 colours		80						
	Applications on PVC materials											
	SignTack Removable ASLAN DFP 13G	Digital printing film for applications on PVC materials	up to 3	•		80						
	Signation notified and Adenti bit 100		monthe			00						

```
oor Graphics
```


ASLAN Product catalogue 2021

months

Ë	Dimensions in m	Permanent	Semi-Permanent	Removable	Dryapply	Indoor/outdoor application	Solvent, ecc-solvent, UV curable inks, Latex inks and screen printing	FloorProtect ASLAN MP 326	Premium FloorProtect ASLAN MP 300	Fire rating B 1	Fire rating EN 13501-1	Fire rating DIN EN-13501-1, printed and laminated with ASLAN MP 300 or ASLAN MP 326	Catalogue page
		Adhesi					Printability	Laminat		Fire rat			
								films					
PVC, polymeric	50 x 1.37	high				I/0	•						32
		tack											
PVC, polymeric	50 x 1.37	high tack				I/O	•			•			32
PVC, polymeric	50 x 1.37	high tack				I/O	•			•			32
PVC, polymeric	50 x 1.37	high tack				I/0	•			•			32
PVC, polymeric	50 x 1.37	high tack				I/0	•			•			32
PVC	25 x 1.37			•		I/0*	•	•	•				28
PVC	25 x 1.37			•		1/0	•	•	•			•	28
				•		1, 0	•						20
PVC	25 x 1.37		•			T	•			•			28
PVC, polymeric	25 x 1.37		•			T	•						28
PVC, polymeric	25 x 1.37		•			T	•						28
PET/PVC	25 x 1.37			٠		I/0*	•	•	•			•	28
PET/PVC	25 x 1.37			•		*	•	•	•			•	28
PVC, polymeric	50 x 1.37		•			I/0	•						30
PVC	25 x 1.37			•		I/O	•			•			31
PVC, monomeric	50 x 1.37			•		I	٠						27
PVC, monomeric	50 x 1.37			•		I	•						27
PVC, monomeric	50 x 1.37			•		I	•						27
PVC, polymeric	50 x 1.37		•		•	I/O	•						30
PVC, polymeric	50 x 1.37		•		•	1/0	•						30
PVC, polymeric	50 x 1.37		•		•	I/O	•						30
PVC, polymeric	50 x 1.37		•		•	I/0	•						30
PVC, polymeric PET/PVC	50 x 1.37 1.52 25 x 1.25		•		•	I/0	•						33
PET/PVC PET/PVC	25 x 1.25 25 x 1.25		•			1/0 1/0	•						19 19
PE/PVC	12 x 1.01	•	•			1/0 I	•						8
,		•				·	•						Ū
								_					
PVC, monomeric	50 x 1.37			•		I	٠						27
PVC, monomeric	50 x 1.37			•		T	•						27
PVC, monomeric	50 x 1.37			•		1/0	•						27
PET/PVC	25 x 1.25	•				I/0	•						19
PVC, polymeric softened PVC, monomeric	25 x 1.25 25 x 1.25	•				1/0 1/0	•						19 25
r vo, monomeric	23 × 1.23		•			1/0	•						23
PVC, monomeric	50 x 1.37	•				I/0	•						30

Please read the technical data sheet for more information. *See page 50 for protective laminates.





For more information please visit

www.**aslan**folien.de



Please contact us phone +49 2204 708 80 e-mail info@aslanfolien.de

